

Nutrition News & Views January 2012 References:

Hot Maca Chocolate Drink:

1. Cocoa Intake, Blood Pressure, and Cardiovascular Mortality, The Zutphen Elderly Study Brian Buijsse, MSc; Edith J. M. Feskens, PhD; Frans J. Kok, PhD; Daan Kromhout, PhD Arch Intern Med. 2006;166:411-417.
2. Cocoa, Flavanols and Cardiovascular Risk Norman K. Hollenberg; Harold Schmitz; Ian Macdonald; Neil Poulter, British Journal of Cardiology 2004;11(5) © 2004 Sherborne Gibbs Ltd.
3. Carnesecchi S, Schneider Y, Lazarus SA, et al. Flavanols and procyanidins of cocoa and chocolate inhibit growth and polyamine biosynthesis of human colonic cancer cells. Cancer Lett 2002;175:147-55.
4. Effect of *Lepidium meyenii* (Maca) on physical-energetic performance in humans. Gayoso O, Aguilar JL, Goyzueta I, Rojas P, Marcelo A, Timoteo O, Carvajal L. Draft Paper.
5. Vigor-Inducing Effect of Maca (*Lepidium meyenii* Walp), an Andean Hypocotyl, in Mice. Salas CA. Draft Paper
6. Evaluation of the Stamina Activity of two Extracts from *Lepidium meyenii* (Maca) in Albino Mice.
Rojas P, Macarlupu JL Capcha R, Plaza A, Aguilar JL. Draft Paper
7. Anthocyanin/polyphenolic-rich fruit juice reduces oxidative cell damage in an intervention study with patients on hemodialysis. Spormann TM, Albert FW, Rath T, Dietrich H, Will F, Stockis JP, Eisenbrand G, Janzowski C. Department of Chemistry, Division of Food Chemistry and Toxicology, University of Kaiserslautern, Erwin-Schroedinger-Strasse 52, 67663 Kaiserslautern, Germany. Cancer Epidemiol Biomarkers Prev. 2008 Dec;17(12):3372-80.
8. Anthocyanins and their role in cancer prevention, Li-Shu Wang¹ and Gary D. Stoner^{1*}, ¹ Department of Internal Medicine and Comprehensive Cancer Center, Ohio State University, College of Medicine, Columbus, Cancer Lett. 2008 October 8; 269(2): 281–290

Nutrition in the News:

1. Aboriginal Affairs and Northern Development Canada. (2011). Nutrition North Canada Advisory Board Meets with Northerners. *Canada News Centre*. Retrieved from <http://news.gc.ca/web/article-eng.do?nid=604089>
2. Alpert, Jessica & Lasagni, Giulia. (2011). Food Pyramid's Successor, 'My Plate,' Dishes Up Debate. *Radio Boston online [media interview]*. Retrieved from <http://radioboston.wbur.org/2011/11/30/food-pyramids-successor-my-plate-dishes-up-debate>
3. Bhasin, Kim. (2011). General Mills Says It Can't Cut Any More Sugar From Its Cereals, Because Kids Will Hate Them. *Business Insider War Room*. Retrieved from <http://www.businessinsider.com/general-mills-cuts-sugar-cereals-2011-10>
4. Charkow, Ryan. (2011). School nutrition programs failing Canadian children: Are we properly addressing issues surrounding child hunger? *CBC News online [media interview]*. Retrieved January 22, 2012, from <http://www.cbc.ca/news/health/story/2011/08/29/f-food-insecurity.html>

5. Harvard School of Public Health. (2012). The Nutrition source. Nutrition research and mass media: an introduction. Retrieved January 11, 2012, from <http://134.174.190.199/nutritionsource/nutrition-news/media-full-story/index.html>
6. Natural Health Care Canada. (n.d.). Association of lifestyle and environmental factors with the risk of cancer. Retrieved from http://naturalhealthcare.ca/nutrition_news.phtml?id=3244&sac=view
7. Natural Health Care Canada. (n.d.) Scientists discover anti-inflammatory polyphenols in apple peels. Retrieved from http://naturalhealthcare.ca/nutrition_news.phtml?id=3207&sac=view
8. Natural Health Care Canada. (n.d.). Study calls sodium intake guidelines into question. Retrieved from http://naturalhealthcare.ca/nutrition_news.phtml?id=3183&sac=view
9. Nguyen, Linda. (2011). 'Raw milk' farmer fined \$9,150 and put on year probation. *National Post online*. Retrieved from <http://news.nationalpost.com/2011/11/25/raw-milk-farmer-fined-9150-and-put-on-year-probation/>
10. Nixon, Ron. (2011). School Lunch Proposals Set Off a Dispute. *The New York Times online*. Retrieved January 11, 2012, from <http://www.nytimes.com/2011/11/02/us/school-lunch-proposals-set-off-a-dispute.html?pagewanted=all>
11. O'Keefe, Mark. (2011). Biggest Health & Nutrition Story of 2011: Salt Vindicated. *PR Web*. Retrieved January 11, 2012, from <http://news.yahoo.com/biggest-health-nutrition-story-2011-salt-vindicated-151214844.html>

Is Honey the Perfect Food for Training or Exercising?

1. Al-Waili NS. Natural honey lowers plasma glucose, C-reactive protein, homocysteine, and blood lipids in healthy, diabetic, and hyperlipidemic subjects: comparison with dextrose and sucrose. *J Med Food*. 2004 Spring;7(1):100-7. 2004. PMID:15117561.
2. Gross H, Polagruto J, Zhu Q, Kim S, Schramm D, Keen C. Effect of honey consumption on plasma antioxidant status in human subjects. Paper presented at the 227th American Chemical Society Meeting, Anaheim CA, March 28, 2004. 2004
3. Honey can serve as an effective carbohydrate replacement during endurance exercise, *Journal of Strength and Conditioning Research*. 2004;18(3):466-72.
4. Chronic honey consumption increases plasma antioxidant concentration. Gross H. Effect of honey consumption on plasma antioxidant status in human subjects. Abstract presented at the American Chemical Society, March 29, 2004
5. Honey can enhance the growth and acid production of human *Bifidobacterium* ssp., *Journal of Food Protection*. 2002;65(1):214-8.
6. Honey enhances the production of lactic acid from *Bifidobacteria* *Journal of Food Science*, 2001;66(3):478-481.

Baby It's Cold Outside:

1. <http://www.nrcan.gc.ca/earth-sciences/products-services/publications/climate-change/climate-change-impacts-adaptation/237>
2. High incidence of metabolically active brown adipose tissue in healthy adult humans: effects of cold exposure and adiposity, Saito M, Okamatsu-Ogura Y, Matsushita M, Watanabe K, Yoneshiro T, Nio-Kobayashi J, Iwanaga T, Miyagawa M, Kameya T, Nakada K, Kawai Y, Tsujisaki M., Source Department of Nutrition, School of Nursing and Nutrition, Tenshi College, Sapporo, Japan. saito@tenshi.ac.jp

3. Thermogenesis challenges the adipostat hypothesis for body-weight control, Barbara Cannon¹, Jan Nedergaard¹, The Wenner-Gren Institute, The Arrhenius Laboratories F3, Stockholm University, SE-106 91 Stockholm, Sweden, presented at Symposium on 'Frontiers in adipose tissue biology', Edinburgh Scotland April 2009
4. *Br J Nutr.* 1981 Mar;45(2):257-67. Influence of mild cold on 24 h energy expenditure, resting metabolism and diet-induced thermogenesis, Dauncey MJ. *Br J Nutr.* 1981 Mar;45(2):257-67.
5. <http://well.blogs.nytimes.com/2011/01/26/central-heating-may-be-making-us-fat/>
6. The effect of short daily cold exposures on development of brown adipose tissue in mice, Gerhard Heldmaier Biomedical and Life Sciences, *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*, Volume 98, Number 2, 161-168, DOI: 10.1007/BF00706127
7. BAT Cold-Induced Thermoregulation and Biological Aging, Florez-Duquet, Maria, and Roger McDonald Physiology Graduate Group and Department of Nutrition, University of California, Davis, California *Physiol. Rev.* 78: 339–358, 1998
8. Dietary isoflavones alter regulatory behaviors, metabolic hormones and neuroendocrine function. Carnitine is necessary to maintain the phenotype and function of brown adipose tissue.
9. Ozaki K, Sano T, Tsuji N, Matsuura T, Narama I. Department of Pathology, Faculty of Pharmaceutical Science, Setsunan University, Hirakata, Osaka, Japan. ozaki@pharm.setsunan.ac.jp *Lab Invest.* 2011 May;91(5):704-10. Epub 2011 Feb 14.
10. Dietary isoflavones alter regulatory behaviors, metabolic hormones and neuroendocrine function in Long-Evans male rats. Lephart ED, Porter JP, Lund TD, Bu L, Setchell KD, Ramoz G, Crowley WR., Department of Physiology and Developmental Biology, Brigham Young University, Provo, UT, USA. edwin_lephart@byu.edu.
11. Corticosterone decreases nonshivering thermogenesis and increases lipid storage in brown adipose tissue. Strack AM, Bradbury MJ, Dallman MF. Department of Physiology, University of California, San Francisco 94143-0444.
12. Brown fat norepinephrine contents and turnover during cold acclimation and hibernation in the golden hamster (*Mesocricetus auratus*), Dale D. Feista, †, a, Department of Zoology, University of California, Berkeley, California 94720, U.S.A., PMID: 15617573

Optimal Nutrition for Fitness:

1. Moore LJ, Midgley AV, Thurlow S, Thomas G, McNaughton LR. Effect of the glycaemic index of a pre-exercise meal on metabolism and cycling time trial performance. *J Sci Med Sport* 2010; 13:182-188.
2. Rennie MJ, Tipton KD. Protein and amino acid metabolism during and after exercise and the effects of nutrition. *Annual Review Nutrition* 2000;20:457-483.
3. Wein D, Mitrus G. Post-Exercise Nutrition: Recommendations for Resistance and Endurance Training. *NSCA's Performance Training Journal* 2008;7:3.
4. Koopman R, Saris WHM, Wagenmakers AJM, van Loon LJC. Nutritional interventions to promote post-exercise muscle protein synthesis. *Sports Medicine* 2007;37:895-906.
5. Koopman R, Wagenmakers AJ, Manders RJ, et al. combined ingestion of protein and free leucine with carbohydrates increases post-exercise muscle protein synthesis in vivo in

male subjects. *American Journal of Physiology, Endocrinology and Metabolism*. 2005;288:E645-653.

6. Roy BD, Tanopolsky MA, MacDougall JD, et al. Effect of glucose supplement timing on protein metabolism after resistance training. *Journal of Applied Physiology* 1997;82:1882-2888.
7. Burke LM, Kiens B, Ivy JL. Carbohydrates and fat for training and recovery. *Journal of Sports Sciences*. 2004;22:15-30.
8. Tipton KD, Ferrando AA, Phillips SM, et al. Post-exercise net protein synthesis in human muscle from orally administered amino acids. *American Journal of Physiology* 1999;276:E628-634.
9. Miles MP, Walker EE, Conant SB, Hogan SP, Kidd JR. Carbohydrate influences plasma interleukin-6 but not C-reactive protein or creatinine kinase following a 32-km mountain trail race. *International Journal of Sport Nutrition and Exercise Metabolism* 2006;16:36-46.
10. Luden ND, Saunders MJ, Todd MK. Post-exercise carbohydrate-protein-antioxidant ingestion decreases plasma creatinine kinase and muscle soreness. *International Journal of Sport Nutrition and Exercise Metabolism*. 2007;17:109-123.
11. Rowlands DS, Thorp RM, Rossler K, Graham DF, Rockell MJ. Effect of protein-rich feeding on recovery after intense exercise. *International Journal of Sport Nutrition and Exercise Metabolism* 2007;17:521-543.
12. Rowlands DS, Rossler K, Thorp RM, Graham DF, et al. Effect of dietary protein content during recovery from high-intensity cycling on subsequent performance and markers of stress, inflammation and muscle damage in well-trained men. *Applied Physiology, Nutrition and Metabolism* 2008;33:39-51.
13. Ahlborg B, Bergstrom J, Ekelund LG, Hultman E. Muscle glycogen and muscle electrolytes during prolonged physical exercise. *Acta Physiologica Scandinavica* 1967;70:129-142.
14. Ivy JL. Regulation of muscle glycogen repletion, muscle protein synthesis and repair following exercise. *Journal of Sports Science and Medicine* 2004; 3: 131-138.
15. Saat M, Singh R, Sirisinghe RG, Nawawi M. Rehydration after exercise with fresh young coconut water, carbohydrate-electrolyte beverage and plain water. *Journal of Physiological Anthropology and Applied Human Science*. 2002; 21: 93-104.
16. Shaw K, Gennet H, O'Rourke P, Del Mar C. Exercise for overweight or obesity, John Wiley & Sons, 2006, The Cochrane Collection.
17. Wu T, Gao X, Chen M, Van Dam RM. Long-term effectiveness of diet-plus-exercise interventions vs. diet-only interventions for weight loss: a meta-analysis: *Obesity Management*. *Obesity Reviews* 2009; 10:313-323.
18. Boutcher SH. High Intensity Intermittent Exercise and fat loss. *Journal of Obesity* 2011; 2011:868305.
19. Gibala MJ, McGee SL. Metabolic adaptations to short-term high-intensity interval training: a little pain for a lot of gain? *Exercise and Sports Sciences Reviews* 2008; 36:58-63.